COMP7460 MSc Practicum for Information Systems

Topic: Implementation of voice recognize technique to simulate mouse clicks with a low cost joystick device for severely disabled people

Student number: 15451682 Student name: CHEUNG Saiho Program: MSc Advanced Information Systems Principal Supervisor: Dr. Byron, K.K. Choi



#### Background

the assistive technology purpose to ensure that the disabled people can access to information technology and get connected to the world for communications, learning, work and social participation.

In Hong Kong, the newspapers have reported some real stories about CP patients when they have shared about their studies experience and face up the huge challenges of physical disability in their daily life [1][2][3].

the assistive technology is not mainstream IT development direction and such commercial market is comparatively small that there is a lack of business interest and research funding to support these projects.

Most of the Cerebral Palsy peoples have very poor hand function and speech disorder, they can only use the computer to keep contact with other people or their family via social network platform. However, there has no a sophisticated solutions to fulfill their needs.

## Project aims

#### Problems:

- As Cerebral Palsy patients symptom has poor hand function and speech disorder, they are very difficult to control the mouse drag and drop function, typing characters on keyboard, the new method is needed to replace the traditional input characters in keyboard, more accuracy and efficiency.
- Avoid to do the repeat movement for opening the windows applications frequently

#### Solutions:

- To change their traditional input method, such as an on screen keyboard with rolling character.
- To set time to execute a specific program on the system menu
  - To voice recognize technique to simulate mouse clicking behavior and fast forward to rolling character.
- To set the cursor movement speed for joystick mouse device.

### New hardware device design – Generic USB Joystick with single button

- For the part of new joystick mouse design, it has only used a single button, instead of left click and right click buttons. As the CP patients find it very difficult to control joystick cursor and press a button simultaneously.
- The single button is only used for controlling the function of monitor grid, the cursor can jump to the nine different position in monitor dimension which is according to the 'z' shape. User can fast move the cursor near to their target, it is more faster than using the joystick control cursor movement only.



#### Implementation of IT System components

- Joystick users interface
- Hijack cursor movement from joystick device without any extra driver support
- Control cursor movement speed for faster or slower
- Function of monitor grid
- Voice recognition system [compatible with the Kinect device or speaker]
- Voice training
- Voice commands with the mouse clicking behavior control mapping
- Storing the information of configuration system setting in the database servers
- System menu and rolling character system
- Rolling the three different categories characters, included digital, English characters and special symbols
- Open the specific windows system applications, e.g. notepad, web browser, file manager etc.

#### Functional decomposition diagram



# UI design – joystick control the cursor movement and speed

- The function of joystick user interface
- 1. Change the cursor movement speed
- 2. The system can be minimized in the system taskbar
- 3. Change the function of monitor grid or rolling character
- 4. Press the joystick single button to jump the nine different position which is according to 'z' shape



#### UI design - rolling character and system menu

- The interface of system menu
- The function of rolling character
- . Rolling character for English characters
- 2. Rolling character for digital
- 3. Rolling character for special symbols







🛃 ЈоуТоТурі	ng			×						
press space	press enter	press backspace	E	主版面						
:	;	1		半型						
pick char										
digital	digital character special symbol									
up case	low	case	滑[ Cli	il ck						
switch apps tab次數 1										
Speed up	Spee	ed down	peed:	5 🔹						

#### UI design – the voice recognition system

- The function of voice recognition system
- 1. Voice recognition training
- 2. Priority of character in order to the percentage of recognition
- 3. Simulation the mouse clicking behavior via the voice commands

PC Speaker for Charact	ters Testing	×	Priority of the recogniz	red characters - PC Speaker		× Speake
please pronounce	the character 5 times in b	clow:	k		umes: i, j,	a
•			Priority of Chara	icters (Highest - Lowest	)	mouse le
e		Successes: 0 Failed: 1	i	j	Successes: 0 Failed: 0	Minimize
	NOT OK	Abort		UK		Reset Coal

a		*		
а	с	i	0	j
mouse left click	mouse left click dr	ag/drerolling character	mouse right click	
Minimize in Taskbar	j 1	mouse left click	c	hoose command

#### Entity Relationship Diagram

In this diagram, it has contained the five database tables in the backend system which stores some kinds of information from the joystick and a voice recognition system, such as patient information, system login information, voice command information, joystick movement speed information and patient's voice symbols information.



## Sequence Diagram

In this diagram, it has described the program workflow in the voice recognition system. there has proposed a new method to simplify and increase the accuracy of the voice recognition process in this system. The patients need to pronounce the twenty-six English letters when they login to the system successfully, the voice recognition system has stored the characters in the database system which is recognized successful within five times for each character. It is at most contained the five characters to represent the five different system commands in the system interface.



#### Gantt chart

	88**	4或服	一月上旬		一月下旬		今天	中旬		三月上旬		三月下旬		四月中旬	ŋ	五月	上旬		ž	月下旬	- 今代時間
	開始 12月13日星	69月18日 12月1日 - 11月19日 11月19日 - 11月19日	Impleme 12月27																		元100时间 5月30日星期三
																					-
	6	王務	4	<b>〒</b> #8	問始或問 _	宫戊菇期 _	2) 前罢任務	月3日 2	017年12月17日	2017年12月31日	2018年1月14日	2018年1月28日	2018年2月11日	2018年2月25日	2018年3月11日	2018年3月25日	2018年4月8日	2018	年4月22日 	2018年5月6日	2018年5月20日
1		( <del>,</del> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Practicum of initialization stage	15 工作日	12月13日星	1月2日星期	別且[[17])					Δ _ Λ =		<u>n</u> _ // <u>-</u>	<u>п</u> [4] —	<u>n</u> _ // _	<u>д</u> Ц –	л _	-   ^   =	<u>п</u> ш –	<u> </u>
2	1	•	Development of joystick device and control program	10 工作日	12月13日星 期三	12月26日星 期二															
3	1	<b>k</b>	Implementation of rolling character function	4工作日	12月27日星	1月1日星期	·2		ľ												
4	>	<b>k</b>	End of initialization stage	1工作日	1月2日星期	1月2日星期	3			Ш́н											
5	7	•	<sup>4</sup> Evaluation of voice recognition technology with Kinect device	16 工作日	1月3日星 期三	1月24日星 期三															
б	7	<b>k</b>	Implementation of voice recognition functio	12工作日	1月3日星期	1月18日星期	4			Ĭ.											
7	7	<b>k</b>	Improvement of system UI	4工作日	1月19日星期	1月24日星期	6				i i i										
8	7	k	⊿ System Design	30 工作日	1月25日星	3月7日星期	ŧ														
9	7	k	Functional decomposition diagram	15 工作日	1月25日星期	2月14日星期	}				1										
10	7	<b>k</b>	Creation of mini report	15工作日	2月15日星期	3月7日星期															
11	7	k	Implementation of System Feature	30 工作日	3月8日星期	4月18日星	)							Ē				1			
12	7	k	Implementation of new feature of word typi	15 工作日	3月8日星期	3月28日星期	10							i i							
13	7	<b>k</b>	Update system UI	15工作日	3月29日星期	4月18日星期												1			
14	7	k	▲ System Testing	30 工作日	4月19日星	5月30日星	ļ														
15	7	<b>k</b>	System testing from real users	15工作日	4月19日星期	5月9日星期															
16	1	<b>k</b>	Collection of users suggestion	15工作日	5月10日星期	5月30日星期	ş														
17			_																		

 $\boldsymbol{V}$ 

#### Further development

- The part of rolling character should be added the auto-complete function to reduce the typing time when the patients do not need to type for the whole words or complete sentences every time.
- The system interface should be need to do some graphic design in the buttons layout, e.g. enlarge the buttons sizes for different kinds of interface layout, use more graphic icon to replace the button of word description. As some patient's eye vision ability is low, they need some special interface design for using it more easily.
- There should be provided some teaching movie clips in the website or social media platforms, the patients can watch easier for self-learning at home or school.
- The system should be used some machine learning or artificial intelligent technique for estimating patient's using computer pattern, reduced the repeat movement for them.

#### User's demo video clips

http://owncloud.atproj4u.com:8800/webdisk/index.php/s/lhllCbylUSQMbxl

http://owncloud.atproj4u.com:8800/webdisk/index.php/s/e27BbfEFBDLEtb4

#### Bibliography

- Molina, A., Guerrero, J., Gómez, I., & Merino, M. (2016). A new multisensor software architecture for. movement detection: Preliminary study with people with cerebral palsy. International Journal of Human Computer Studies, 97, 45–57.
  <a href="http://doi.org/10.1016/j.ijhcs.2016.08.003">http://doi.org/10.1016/j.ijhcs.2016.08.003</a>
- Myrden, A., Schudlo, L., Weyand, S., Zeyl, T., & Chau, T. (2014). Trends in communicative access solutions for children with cerebral palsy. Journal of child neurology, 29(8), 1108-1118.
- Narvekar, S., 2013. Analysis of Cursor Movement using SixthSense Technology. , pp.13–18.
- Oskoui, M; Coutinho, F; Dykeman, J; Jetté, N; Pringsheim, T (2013). "An update on the prevalence of cerebral palsy: a systematic review and meta-analysis.". Developmental Medicine & Child Neurology. 55 (6): 509–19
- Pallejà, T. et al., 2013. Implementation of a robust absolute virtual head mouse combining face detection, template matching and optical flow algorithms. Telecommunication Systems, 52(3), pp.1479–1489.
- Rao, R. S., Seliktar, R., & Rahman, T. (2000). Evaluation of an isometric and a position joystick in a target acquisition task for individuals with cerebral palsy. IEEE Transactions on Rehabilitation Engineering, 8(1), 118–125. <u>http://doi.org/10.1109/86.83095</u>
- Shibata, M., Zhang, C., Ishimatsu, T., Tanaka, M., & Palomino, J. (2015). Improvement of a Joystick Controller for Electric Wheelchair User, (November), 132–138.
- Shih, C. H. (2011). Assisting people with multiple disabilities and minimal motor behavior to improve computer Drag-and-Drop efficiency through a mouse wheel. Research in Developmental Disabilities, 32(6), 2867–2874. <a href="http://doi.org/10.1016/j.ridd.2011.05.018">http://doi.org/10.1016/j.ridd.2011.05.018</a>
- Pousada, T., Pareira, J., Groba, B., Nieto, L., & Pazos, A. (2014). Assessing mouse alternatives to access to computer: A case study of a user with cerebral palsy. Assistive Technology : The Official Journal of RESNA, 26(1), 33-44
- Trewin, S. & Pain, H., 1999. Keyboard and mouse errors due to motor disabilities. International Journal of Human-Computer Studies, 50(2), pp.109–144. Available at: http://www.sciencedirect.com/science/article/pii/S1071581998902385.
- [1]: http://hk.on.cc/hk/bkn/cnt/news/20180331/bkn-20180331103542767-0331\_00822\_001.html
- [2]: <u>http://epaper.am730.com.hk/Printhandler.ashx?IP=/Editions/103\_2/03-10-</u> 2016/Content/Print/03\_10\_2016\_019&W=634&H=808.6923525977817&T=2016-10-03%20-%20Page%2019
- [3]: http://hk.on.cc/hk/bkn/cnt/news/20150913/bkn-20150913174619224-0913\_00822\_001.html